
Fundamentals of Gesture Production, Recognition, and Analysis

Radu-Daniel Vatavu

MintViz Lab | MANSiD Research Center
University Stefan cel Mare of Suceava
13 Universitatii
Suceava 720229
Romania
vatavu@eed.usv.ro

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the Owner/Author.
Copyright is held by the owner/author(s).
CHI'17 Extended Abstracts, May 06-11, 2017, Denver, CO, USA
ACM 978-1-4503-4656-6/17/05.
<http://dx.doi.org/10.1145/3027063.3027106>

Abstract

This course will introduce participants to practical aspects of human gesture production, gesture recognition, and gesture analysis. Notions such as gesture training sets, user-dependent and user-independent training, and variability of gesture articulation will be clarified for the audience in the context of designing gesture user interfaces. Simple and efficient gesture recognition and gesture analysis techniques will be exemplified and accompanied by real-world data analysis with software tools readily available to download and use. An overview of gesture taxonomies and design guidelines will accompany the discussion. Participants will be able to try out gesture analysis on their own computers. It is my hope that this course will effect into a valuable source of information for researchers and practitioners entering the gesture field who are interested in prototyping novel interactive systems controllable by means of human gestures.

Author Keywords

Gesture user interfaces; gesture recognition; gesture analysis; gesture production; psychology of human gestures; software tools; methodology.

Outline

An introductory part on the psychology of human gestures will point participants to relevant motor and cognitive aspects involved in **gesture production**.

An overview of simple and efficient **gesture recognition techniques** will be presented to participants. Notions such as training sets, user-dependent and user-independent evaluation will be clarified for participants.

Methodologies and tools to analyze gestures will be presented and demonstrated to participants. Design guidelines for gesture user interfaces will be explained and exemplified with references from the relevant literature.

ACM Classification Keywords

H.5. Information Interfaces and Presentation: User Interfaces; I.5. Pattern Recognition.

Course outline and schedule

The course consists in three main chapters that will introduce participants to practical aspects of (1) *human gesture production*, (2) *gesture recognition techniques*, and (3) *practical tools to run gesture analysis*. Relevant examples from the literature will be discussed and practical tools will be demonstrated to the audience. The course will be offered in the form of one session of 80 minutes, pointing participants in a concise manner to the most relevant aspects of gesture recognition and analysis for designing gesture user interfaces.

1**Gesture production (20 minutes)**

Human gestures are “*spontaneous creations of individual speakers, unique and personal*” [8]. The psychology literature provides a wealth of useful information about gesture production, the meaning and the expressiveness of human gestures [5,6] and their relationship with speech and thought [7,8]. Understanding the fundamentals of the motor and cognitive aspects of gesture production is extremely relevant for effective gesture UI design [3,18]. Participants will be provided with a concise survey of the most relevant aspects of the psychology of human gesture production.

2**Gesture recognition (30 minutes)**

Today's large adoption of gesture interfaces, prevalent on smart devices with touch-sensitive screens, puts a lot of demands on practitioners that need efficient recognizers to classify gesture input fast and accurately. The main technologies available today to

acquire human gestures will be briefly presented: worn and hand-held equipment (*e.g.*, motion sensing game controllers, gloves, smart phones and smart devices) and non-invasive solutions (*e.g.*, video cameras). Simple and efficient gesture recognition techniques from the literature will be pointed to participants [2,12,17,21,23]. Out of these, the \$P gesture recognizer was found to be very accurate for a wide range of gesture types, yet it is simple to implement on any platform in about 70 lines of code [17] and is easily extendable to recognize multitouch input [12].

3**Gesture analysis (30 minutes)**

Careful analysis of users' gesture articulations can generate a lot of useful data to inform design of robust recognition approaches, gesture sets, and adaptive user interfaces. Gesture analysis can be performed in many ways, such as by evaluating users' consistency of articulating gestures [1], using numerical features to describe gesture geometry and kinematics [11,16,18,19], and using appropriate visualizations to understand variation in gesture articulation [15]. Gesture elicitation studies [24,25] represent an instance of participatory design, during which participants (*e.g.*, end users, representative of the target user population) propose gesture commands that they believe represent good fit to effect application functions. Today's elicitation methodology includes specialized measures to calculate agreement and coagreement rates and run statistical inference tests for within and between experimental designs using the AGATe tool [13,14]. Design criteria for gestures, such as ease of execution and perceived gesture difficulty [11,19], learnability and memorability [9], time efficiency [3,4], and gesture fit-to-function [10,25] will be explained and exemplified to participants with

Course history

Previous courses were offered in 2014 and 2015 at TVX '14 and TVX '15 (*the ACM International Conference on Interactive Experiences for TV and Online Video*) with focus on gesture user interfaces for the interactive TV. Before that, tutorials were delivered during EuroITV '12 and EuroITV '13 (*the 10th and 11th European Conference on Interactive TV and Video, ACM SIGCHI*) under the title "Designing Gestural Interfaces for Future Home Entertainment Environments". A course at CHI '16 focused on augmented reality, ambient intelligence, and gesture interface design principles for prototyping future home entertainment experiences.

This course focuses strictly on gestures, pointing participants in a concise manner to the most relevant aspects of gesture recognition and analysis for designing gesture user interfaces.

references from the relevant literature. Guidelines to design and evaluate gesture commands will be provided to participants. Predictors of human gesture performance [11,19] will be demonstrated.

Instructor

Radu-Daniel Vatavu, Ph.D., works in the field of Human-Computer Interaction with focus on designing novel interactions and gesture user interfaces. Examples of the instructor's research expertise relevant for this course are gesture recognition algorithms [12,17,20,21], gesture analysis tools [1,13,14,15,16] and gesture methodologies [11,19].

Teaching experience

Radu-Daniel Vatavu is a Professor at the Computer Science Department of the University of Suceava, where he has been teaching Algorithms Design, Pattern Recognition, Advanced Programming, and Advanced Artificial Intelligence for undergraduate and graduate students since 2008.

Acknowledgements

This work was supported by the project "*Computational psychology of human movement to understand gestures and body kinesics*" (PSY-KINESICS), financed by UEFISCDI, Romania.

References

- [1] Lisa Anthony, Radu-Daniel Vatavu, and Jacob O. Wobbrock. 2013. Understanding the consistency of users' pen and finger stroke gesture articulation. In *Proc. of Graphics Interface 2013 (GI '13)*, 87-94.
- [2] Lisa Anthony and Jacob O. Wobbrock. 2010. A lightweight multistroke recognizer for user interface prototypes. In *Proceedings of Graphics Interface*

2010 (GI '10). Canadian Information Processing Society, Toronto, Ont., Canada, Canada, 245-252.

- [3] Caroline Appert and Shumin Zhai. 2009. Using strokes as command shortcuts: cognitive benefits and toolkit support. In *Proc. of the SIGCHI Conf. on Human Factors in Computing Systems (CHI '09)*. ACM, New York, NY, USA, 2289-2298.
- [4] Xiang Cao and Shumin Zhai. 2007. Modeling human performance of pen stroke gestures. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '07)*. ACM, New York, NY, USA, 1495-1504.
- [5] Jean Ann Graham, Michael Argyle. 1975. A cross-cultural study of the communication of extra-verbal meaning by gestures. *International Journal of Psychology* 10, 57-67.
- [6] Adam Kendon. 1994. Do gestures communicate? A review. *Research on Language and Social Interaction* 27, 175-200.
- [7] Jana M. Iverson, Susan Goldin-Meadow. 1998. Why people gesture when they speak. *Nature*, 396:228.
- [8] David McNeill. 1992. *Hand and Mind: What Gesture Reveals about Thought*. University Chicago Press
- [9] Miguel A. Nacenta, Yemliha Kamber, Yizhou Qiang, and Per Ola Kristensson. 2013. Memorability of pre-designed and user-defined gesture sets. In *Proc. of the SIGCHI Conference on Human Factors in Computing Systems (CHI '13)*. ACM, 1099-1108.
- [10] M. Nielsen, M. Störring, T.B. Moeslund, E. Granum. 2004. A procedure for developing intuitive and ergonomic gesture interfaces for HCI. *Int'l Gesture Workshop 2003*, LNCS vol. 2915. Heidelberg: Springer-Verlag, 409-420.
- [11] Yosra Rekik, Radu-Daniel Vatavu, and Laurent Grisoni. 2014. Understanding Users' Perceived Difficulty of Multi-Touch Gesture Articulation. In

Target attendees

Researchers and practitioners working in general Human-Computer Interaction, user interfaces, and interaction design. A mixture of participants from research and industry is ideal. No previous knowledge about gesture interface design is required.

Presentation format

PowerPoint slides, videos, and demonstrations of tools. Course notes will be offered to participants, pointing to literature references and other course resources, such as code and toolkits.

Teaching methods

The instructor will employ presentation, working with examples, and discussion. Participants will be able to try gesture analysis techniques by themselves, by downloading and running gesture analysis software on their own computers.

- Proc. of the 16th Int. Conf. on Multimodal Interaction (ICMI '14)*. ACM, 232-239.
- [12] Yosra Rekik, Radu-Daniel Vatavu, and Laurent Grisoni. 2014. Match-up & conquer: a two-step technique for recognizing unconstrained bimanual and multi-finger touch input. In *Proc. of the 2014 Int. Working Conf. on Advanced Visual Interfaces (AVI '14)*. ACM, New York, NY, USA, 201-208.
 - [13] Radu-Daniel Vatavu and Jacob O. Wobbrock. 2015. Formalizing Agreement Analysis for Elicitation Studies: New Measures, Significance Test, and Toolkit. In *Proc. of the 33rd Annual ACM Conf. on Human Factors in Computing Systems (CHI '15)*. ACM, New York, NY, USA, 1325-1334.
 - [14] Radu-Daniel Vatavu and Jacob O. Wobbrock. 2016. Between-Subjects Elicitation Studies: Formalization and Tool Support. In *Proc. of the 2016 Conf. on Human Factors in Computing Systems (CHI '16)*. ACM, USA, 3390-3402.
 - [15] Radu-Daniel Vatavu, Lisa Anthony, and Jacob O. Wobbrock. 2014. Gesture Heatmaps: Understanding Gesture Performance with Colorful Visualizations. In *Proc. of the 16th Int. Conf. on Multimodal Interaction (ICMI '14)*. ACM, 172-179.
 - [16] Radu-Daniel Vatavu, Lisa Anthony, and Jacob O. Wobbrock. 2013. Relative accuracy measures for stroke gestures. In *Proc. of the 15th ACM on International conference on multimodal interaction (ICMI '13)*. ACM, New York, NY, USA, 279-286.
 - [17] Radu-Daniel Vatavu, Lisa Anthony, and Jacob O. Wobbrock. 2012. Gestures as point clouds: a \$P recognizer for user interface prototypes. In *Proc. of the 14th ACM Int. Conf. on Multimodal interaction (ICMI '12)*. ACM, USA, 273-280.
 - [18] Radu-Daniel Vatavu, Gabriel Cramariuc, Doina Maria Schipor. 2015. Touch Interaction for Children Aged 3 to 6 Years: Experimental Findings and Relationship to Motor Skills. *International Journal of Human-Computer Studies* 74, 54-76.
 - [19] Radu-Daniel Vatavu, Daniel Vogel, Géry Casiez, and Laurent Grisoni. 2011. Estimating the perceived difficulty of pen gestures. In *Proc. of the 13th IFIP TC 13 Int. Conf. on Human-computer interaction (INTERACT'11)*, 89-106.
 - [20] Radu-Daniel Vatavu. 2013. The Impact of Motion Dimensionality and Bit Cardinality on the Design of 3D Gesture Recognizers. *International Journal of Human-Computer Studies*, 71(4), 387-409.
 - [21] Radu-Daniel Vatavu. 2017. Improving Gesture Recognition Accuracy on Touch Screens for Users with Low Vision. In *Proc. of CHI '17, the 35th ACM Conf. on Human Factors in Computing Systems*
 - [22] Radu-Daniel Vatavu, Annette Mossel, and Christian Schönauer. 2016. Digital vibrons: understanding users' perceptions of interacting with invisible, zero-weight matter. In *Proc. of the 18th Int. conf. on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '16)*, 217-226
 - [23] Jacob O. Wobbrock, Andrew D. Wilson, and Yang Li. 2007. Gestures without libraries, toolkits or training: a \$1 recognizer for user interface prototypes. In *Proc. of the 20th annual ACM Symp. on User interface software and technology (UIST '07)*. ACM, New York, NY, USA, 159-168.
 - [24] Jacob O. Wobbrock, Htet Htet Aung, Brandon Rothrock, and Brad A. Myers. 2005. Maximizing the guessability of symbolic input. In *CHI '05 Extended Abstracts on Human Factors in Computing Systems (CHI EA '05)*, 1869-1872.
 - [25] Jacob O. Wobbrock, Meredith Ringel Morris, and Andrew D. Wilson. 2009. User-defined gestures for surface computing. In *Proc. of the SIGCHI Conf. on Human Factors in Computing Systems (CHI '09)*. ACM, New York, NY, USA, 1083-1092.